caBIG Architecture Kickoff Meeting Presentation Fred Hutchinson Cancer Research Center

Mark Thornquist, Derek Walker, Heather Kincaid, Rahul Joshi, Dan Geraghty, Robert Robbins.




Data Sharing Continuum

- Geraghty from individual site to community
- Thornquist bringing community to individual site









Development Principles

- Roadmap Driven: all pieces align with a reference architecture / roadmap
- <u>Flexibility in inputs and outputs</u>: allows variety of data types and meta data classifications to co-exist within the same system
- <u>Scalable Design</u>: retain system performance under increasing system load
- <u>Wide Ranging</u>: retain consistency with other information technology initiatives
- <u>Technology Agnostic</u>: allow for variety of technologies to exchange data
- <u>Open source</u>: allow interested parties to adopt, modify and improve the current state



Different Approaches for Different Circumstances


Geraghty – GeMS

- Integration through usage
- Provide useful, needed tools resulting in de facto common data

Thornquist – EDRN

- Integration through middleware
- Map existing databases to common data elements

- Nightly Data pick up by system
- Unstructured and unrelated data sent to GeMS server for processing
- Data related to associated parameters
- Subset of data made available to the Geraghty website




Data Flow



GeMS Architecture


- The data store is accessed through a file storage service API that acts as a DAO (Data Access Object) Layer.
- Core services is made available above J2EE application server. These services are used by the plugins to carry out their functions.
 - File Storage Service manages file system
 - Authentication identify validation
 - Authorization users level of access
 - Messaging local workflow processes andcollaboration with remot sites
 - Plugin Manager manages the resigration of plugin components
 - Workflow manages the workflow agents, their states, and the associated triggers
- Plugins represent the functional components that use the core services.






Generalizing the Data over a grid

- Next phase to build data sharing mechanism based on development of generic publication control system (export server)
- Test publication control and data sharing across disciplines with the Thornquist's EDRN/ERNE development efforts










Software Component Deployment






EDRN Bioinformatics Architecture

1. API's exposed for Bioformatics tools and applications


- **2. Middleware** creates the informatics infrastructure connecting systems and data
- **3. Repositories** for storing and retrieving many data types data






Reference Architecture – Conceptual Design

High Level View





Reference Architecture - Detailed View





Summary

- Support the establishing and maintenance of common architecture
 - Fostering alignment with a common vision in software design with an eye to collaboration
 - Development of tools that can interoperate between institutions/research initiatives
 - Understand the need to build and share these tools in a systematic way
- Experience and Lessons Learned
 - Managing and integrating systems from a variety of sources
 - Data publishing in real time as it becomes available
 - Challenges in supporting a variety of hardware and software systems
- Flexibility is Essential
 - Existing variability in data sets/systems/vocabularies/implementations that must be assembled in a grid environment
 - Depending on degree of expertise and budget available to the individual researcher
 - Based on the evolving nature of data elements in discovery oriented research
 - Based on the evolving nature of technology (connectivity, software platforms, hardware platforms)